## Claims

1. A helical scan transport apparatus for reading and writing data on to a magnetic recording tape which is wound on a supply reel rotatably mounted within a removable tape cartridge, wherein the tape has a leader block attached to one end for use in withdrawing the end from the tape cartridge, the transport comprising:

a chassis having a front end portion, and a rear end portion;

an elevator assembly mounted on said chassis at said front end, said elevator assembly configured to receive the tape cartridge and to position the tape cartridge in a loaded position;

a take-up reel assembly coupled to said chassis at said rear end portion;

a helical deck mounted on a central portion of said chassis between said elevator assembly and said take-up reel assembly, said helical deck including a rotary read/write head, a substantially linear tape loading path between said elevator assembly and said take-up reel assembly, and a movable guide for seizing the tape from said tape loading path and for at least partially wrapping the tape around said rotary head; and

a linear threading mechanism configured to grasp the leader block of the tape, thread the tape through said tape loading path of said helical deck, and couple said/leader block to said take-up reel assembly.

- 2. The helical scan transport apparatus of claim 1, wherein said helical deck is from a Panasonic Model D350 digital video cassette recorder.
- 2.8. The helical scan transport apparatus of claim 2, further comprising a supply reel drive assembly co-located with said elevator assembly, said supply reel drive assembly configured to couple with the supply reel of the cartridge and to rotatably drive the supply reel.

1411.021

92-080-PDQ

1 2

3

2 3

5 6

7

4

8 9

10

14 15

13

16 17

18

19 20

21

22 23

24 25

26

The helical scan transport apparatus of claim, wherein said take-up reel assembly comprises a take-up reel and a servomotor coupled to said take-reel.

A helical scan transport apparatus for reading and writing data 5. on to a magnetic recording tape which is wound on a supply reel rotatably mounted within a removable tape cartridge, wherein the tape has a leader block attached to one end for use in withdrawing the end from said tape cartridge, the transport dimensioned to fit within a rectangular enclosure measuring approximately twelve and one-half inches wide by twenty-six and one-half inches deep and configured such that a plurality of the transport apparatuses may be stacked within the enclosure with a vertical spacing of eleven inches on center, the transport apparatus and enclosure for use with a Storage Technology Corporation Model 4400 automated cartridge system, the apparatus comprising:

a chassis having a front end portion and a rear end portion, said front end portion extending seven/inches outward from the enclosure and configured to mate with the 4400 automated cartridge system when said enclosure is coupled to a housing of the 4400 automated cartridge system;

an elevator assembly mounted on said chassis at said front end, said elevator assembly configured to receive a tape cartridge from the 4400 automated cartridge/system and to position the tape cartridge in a loaded position;

a take-up reel assembly coupled to said chassis at said rear end portion;

a helical/deck mounted on a central portion of said chassis between said elevator assembly and said take-up reel assembly, said helical deck including a rótary read/write head, a substantially linear tape loading path between said elevator assembly and said take-up reel assembly, and a movable guide for seizing the tape from said tape loading path and for at least partially wrapping/the tape around said rotary head; and

1411.021 92-080-PDQ

1	27
	28
•	29
	1
,	2
L	_
	1
	3
	2 3 4
	1
	2
	2 3
Ī	1
,	1 2
_	3
)	5
	$\frac{5}{6}$
/ار	7
	8
	9
	10
	11
	12
	13
	14

C

a linear threading mechanism configured to grasp the leader block of the tape, thread the tape through said tape loading path of said helical deck, and couple said leader block to said take-up reel assembly.

- 6. The helical scan transport apparatus of claim 5, wherein said helical deck is from a Panasonic Model D350 digital video cassette recorder.
- The helical scan transport apparatus of claim, further comprising a supply reel drive assembly co-located with said elevator assembly, said supply reel drive assembly configured to couple with the supply reel of the cartridge and to rotatably drive the supply reel.
- The helical scan transport apparatus of claim, wherein said take-up reel assembly comprises a take-up reel and a servomotor coupled to said take reel.
- 9. A helical scan transport apparatus for reading and writing data on to a magnetic recording tape supplied in a 3480-style cartridge, the transport comprising:

a chassis having a front end portion and a rear end portion;

an elevator assembly mounted on said chassis at said front end, said elevator assembly configured to receive the 3480-style cartridge and to position the 3480-style cartridge in a loaded position;

a take-up-rediassembly coupled to said chassis at said rear end portion;

a helical deck mounted on a central portion of said chassis between said elevator assembly and said take-up reel assembly, said helical deck including a rotary read/write head, a substantially linear tape loading path between said elevator assembly and said take-up reel assembly, and a movable guide for seizing the tape from said tape loading path and for at least partially wrapping the tape around said rotary head; and

1411.021

92-080-PDQ

_	
	15
	16
	17
	1
	2
L	
	1
	2
	3
	4
	1
	2
	3

a linear threading mechanism configured to grasp a leader block of the 3480-style cartridge, thread the tape through said tape loading path of said helical deck, and couple said leader block to said take-up reel assembly.

10. The helical scan transport apparatus of claim 9, wherein said helical deck is from a Panasonic Model D350 digital video cassette recorder.

The helical scan transport apparatus of claim 10, further comprising a supply reel drive assembly co-located with said elevator assembly, said supply reel drive assembly configured to couple with the supply reel of the cartridge and to rotatably drive the supply reel.

The helical scan transport apparatus of claim X, wherein said take-up reel assembly comprises a take-up reel and a servomotor coupled to said take-rect.

1411.021